



Wood and Faux Wood Reference Guide

Lucerne™  
COLLECTION

[www.maxxmar.com](http://www.maxxmar.com)



## CONTENTS



Faux Wood Features .....	1
Faux Wood Price Grids .....	2
Wood Features .....	3
Wood Price Grids .....	4
Wood/Faux Wood Blinds Specialty Information .....	5

Lucerne™  
COLLECTION

[www.maxxmar.com](http://www.maxxmar.com)

## Faux Wood Features



**Zurich Faux Wood** is a unique blend of resin and wood fused together to imitate the look and warmth of traditional wood blinds:

- Ideal for high humidity areas such as bathrooms and kitchens.
- Slats resist fading, warping and cracking, even in the most humid conditions.
- 2" Slat available in a wide assortment of colours, textures and prints.
- Routless Privacy Feature is optional. Notched slats block out the light offering total privacy (Regular rout holes are standard).
- Cord tilt is standard. All tassels on cords are wood and colour coordinated.
- Trapezoid shaped bottom rail offers tight slat closure and sits cleanly on the window frame.
- Specialty blinds and shapes are available.
- Motorization option available.
- Decorative moulded valance supplied with all blinds.
- Low profile Headrail with crash proof cord lock.
- Optional wide width solid and decorative cloth tapes are available in the latest colours and designs.
- Limited Lifetime Warranty.



## Wood Features



**St. Moritz Wood Blinds** are crafted from only the finest quality North American basswood in a full range of rich designer colours and warm wood tones:

- Available in 2" slat in both paints and stains.
- Slat ends are completely sealed in the finishing process to provide a finished look.
- Constructed from a strong resilient wood which is an excellent insulator, thus reducing energy costs.
- Low profile headrail with crash proof cordlock.
- Colour coordinated wood tassels.
- Cord tilt standard.
- Optional wide width solid and decorative cloth tapes are available in the latest colours and designs.
- Decorative moulded wood valance is standard. Option to upgrade to Geneva Valance on "Grid A" at a surcharge.
- Specialty shapes and sizes available.
- Extension brackets and hold down brackets are available upon request.
- Trapezoid bottom rail offers tight slat closure and sits cleanly on the window sill.
- Motorization available.
- Routless privacy feature is optional. Notched slats block out the light offering total privacy (regular rout holes are standard).
- Limited Lifetime Warranty.



Wood is a natural product and slight imperfections in finish and colour are normal characteristics. Stain may vary in intensity due to differing grain patterns and/or stain penetration. Maxxmar cannot guarantee dye lots.

## Wood/Faux Wood Blinds Specialty Information

Specialty Blinds for St. Moritz Wood and Zurich Faux Wood Blinds	WIDTH							
	24"	30"	36"	42"	48"	54"	60"	72"
A Frame Angled Top or Sloped Bottom	221	254	287	320	352	394	426	N/A
Arches	1926	2034	2132	2230	2328	2411	2558	2706

• Add above surcharge to the retail price of the blind.


### Angle Top/A Frame Blinds Information:

1. Tilt and lift controls should be located on low side of blind to allow valance to be as narrow in depth as possible.
2. Horizontal angle blinds lift only to the point where the angle begins.
3. Tapes are not available. Braided ladders will be asymmetrical. More are required than on standard blinds.
4. Two or more blinds are recommended on units over 54" wide. If two or more blinds will be butting together within one opening, a template made of heavy craft paper is required. If multiple blinds are mounted together, specify distance between blinds to insure alignment.
5. A maximum angle of 45 degrees from horizontal is recommended. Blinds with angles beyond 45 degrees will experience problems in operation.
6. The larger the angle, the wider the face of the valance will be to conceal gaps between the top slat and headrail.
7. Mounting brackets and centre supports are used when installing angle blinds.
8. Templates are required when bottom corners are not at a 90 degree angle. Dimensions on all four sides are needed.
9. A template with spacing noted is required for orders with multiple openings where slats need to line up properly with one another.
10. Hold down brackets are required on angle top blinds 24" or less in width, to hang properly.

### Arch Top Blinds Information:

1. Tilt and lift controls must be split. Lift is not available on arch caps.
2. Blinds will only lift to the point where the arch begins.
3. Quarter circle arches will have asymmetrical ladders and control on low side.
4. Templates made of heavy craft paper are required and preferably mailed in a tube.
5. Blinds must have a minimum of a 14" radius.
6. Two or more blinds are recommended on units over 72" wide
7. Solid and Decorative Cotton Tapes & Designer Series Tapes are not available. Arch top blinds are available with braided ladders only.
8. When lifting arch blinds over 60" in width and 72" in length, it will be necessary to mount a cleat to the window frame to tie the lift cords.
9. A valance will be provided to conceal the gaps between the top slats and the headrail. Valance is made of 1/8" plywood without any beading on valance. There could be a slight variance in the colour on the valance, to matching the actual slats.
10. 2" slats will have a valance with approximately a 4"-5" wide face. Please note that on 2" slat blinds that are smaller than 48"x24", the 4"-5" valance may look disproportioned.
11. A template is required for orders with multiple openings where slats need to line up properly with one another.

### Measuring and Pricing Information for Angle Top/A Frame Blinds:



Take the widest width and the longest length and this will determine your pricing. This procedure is used for all A frame blinds.

### Geneva Wood Valance (optional):

- Available in 24 colour choices.
- Optional valance on Grid A at a surcharge.
- Standard valance for Grid B.
- Valance height: 3 1/2".
- Maximum valance depth: 6" (specify valance return depth at time of order).



## Limited Lifetime Warranty

Limited Lifetime Warranty applies to all functional moving parts that are manually operated. Both wood slats and faux wood slats are warrantied for three (3) years from date of purchase. We cannot warranty against variations in colour, grain and texture. However the warranty applies to cracking, peeling, fading and warping.

The warranty does not cover damage to the product resulting from misuse, abuse, alterations, or discolouration/colour change due to sunlight or passage of time, high humidity, moisture, exposure to salty air or any type of corrosive materials. This warranty does not apply to conditions caused by normal wear and tear upon the product.